

Materials List for:

Assessment of Respiratory Function in Conscious Mice by Double-chamber Plethysmography

Samuel Mailhot-Larouche¹, Louis Deschênes¹, Katherine Lortie¹, Morgan Gazzola¹, David Marsolais¹, David Brunet², Annette Robichaud², Ynuk Bossé¹

¹Institut Universitaire de Cardiologie et de Pneumologie de Québec, Université Laval

²SCIREQ Scientific Respiratory Equipment Inc.

Correspondence to: Annette Robichaud at Annette.Robichaud@scireq.com

URL: <https://www.jove.com/video/57778>

DOI: [doi:10.3791/57778](https://doi.org/10.3791/57778)

Materials

Name	Company	Catalog Number	Comments
Acetyl-β-methylcholine chloride	Sigma-Aldrich	A-2251	Methacholine
Phosphate buffered saline	Multicell	311-506-CL	PBS 10X
House dust mite extract	GREER	290902	HDM
DCP complete system	SCIREQ Inc. /emka TECHNOLOGIES		
iox software	SCIREQ Inc. /emka TECHNOLOGIES		
Aerogen Aeroneb nebulizer	SCIREQ Inc. /emka TECHNOLOGIES		
flexiVent FX complete system	SCIREQ Inc. /emka TECHNOLOGIES		