

Materials List for

Real-Time Detection of Ferulic Acid Effects on Rat Left Ventricle Using Pressure-Volume Conductivity Catheter

Zhihao Sun^{1,2}, Wenqiao An², Taiping He², Qingqing Liu², Ziming Wang², Pengmei Guo², Sanyin Zhang^{2,3}

¹School of Basic Medical Sciences, Chengdu University of Traditional Chinese Medicine ²Innovative Institute of Chinese Medicine and Pharmacy, Chengdu University of Traditional Chinese Medicine ³Research Institute of Integrated TCM & Western Medicine, Chengdu University of Traditional Chinese Medicine

Corresponding Authors

Pengmei Guo
guopengmei@cdutcm.edu.cn

Sanyin Zhang
tcmzsy@cdutcm.edu.cn

Citation

Sun, Z., An, W., He, T., Liu, Q., Wang, Z., Guo, P., Zhang, S. Real-Time Detection of Ferulic Acid Effects on Rat Left Ventricle Using Pressure-Volume Conductivity Catheter. *J. Vis. Exp.* (2023), e65858, doi:10.3791/65858 (2024).

Date Published

January 12, 2024

DOI

10.3791/65858

URL

jove.com/video/65858

Materials

Name	Company	Catalog Number	Comments
1 mL syringe	Sartorius AG, Germany	-	
Animal temperature maintainer	Rayward Life Technology Co., Ltd	69020	
Dual Bio Amp	Millar, Inc., USA	DA-100	
Enzyme-Active Powdered Detergent	Alconox Inc., USA	1104	
Ferulic acid	Macklin Biochemical Co., Ltd,Shanghai, China	F900027	
Mikro-Tip Catheter Transducers, SPR-838NR	Millar, Inc., USA	SPR-838NR	
Millar Miro-Tip Pressure Volume (MPVS) Ultra	Millar, Inc., USA	SPR-869	
Pet electric clippers	Jinyun County New Concept Home Supplies Co., Ltd.	-	
Power Lab 8 / 35	Millar, Inc., USA	PL3508	
Sodium Chloride, NaCl	Kelong Chemical Reagent, Chengdu, China	KX829463	
Veet hair removal cream	Shanghai Songqi E-commerce Co., Ltd.	3226470	