

Materials List for:

# Assessment of Vascular Regeneration in the CNS Using the Mouse Retina

Khalil Miloudi<sup>1</sup>, Agnieszka Dejda<sup>2</sup>, François Binet<sup>3</sup>, Eric Lapalme<sup>2</sup>, Agustin Cerani<sup>2</sup>, Przemyslaw Sapieha<sup>1,2,3</sup>

<sup>1</sup>Department of Neurology-Neurosurgery, McGill University

<sup>2</sup>Department of Biochemistry, Maisonneuve-Rosemont Hospital Research Centre, University of Montréal

<sup>3</sup>Department of Ophthalmology, Maisonneuve-Rosemont Hospital Research Centre, University of Montréal

Correspondence to: Przemyslaw Sapieha at [mike.sapieha@umontreal.ca](mailto:mike.sapieha@umontreal.ca)

URL: <https://www.jove.com/video/51351>

DOI: [doi:10.3791/51351](https://doi.org/10.3791/51351)

## Materials

Name	Company	Catalog Number	Comments
C57Bl/6 mice (Other strains may be used; angiogenic response varies from one strain to the other)			
CD1 nursing mothers	Vendor of choice		
Operating Scissors straight	World Precision Instruments	14192	
Dissecting Scissors straight	World Precision Instruments	14393	
Vannas Eye Scissors	Harvard Apparatus	72-8483	
Iris Forceps, curved, serrated	World Precision Instruments	15915	
Brushes 362R size 0	Dynasty		
Dumont Forceps #3; straight	World Precision Instruments	500338	
Surgical Blade, size 10	Bard-Parker	371110	
Rhodamine Griffonia (Bandeiraea) Simplicifolia Lectin I	Vector Laboratories, Inc	RL-1102	
Microscope slides	VWR	16004-368	
Fluoromount G	Electron Microscopy Sciences	17984-25	
Zeiss Axio Observer Z1 Inverted Phase and Fluorescence Microscope	Zeiss		
Leica MZ9.5 Stereomicroscope	Leica		
Fluorescein isothiocyanate-dextran, 70000	Sigma-Aldrich	46945	