

Materials List for:

Identifying Coronary Artery Calcification on Non-gated Computed Tomography Scans

Vedant A. Gupta¹, Steve W. Leung¹, Michael A. Winkler², Vincent L. Sorrell¹

¹Gill Heart Institute, Division of Cardiovascular Medicine, University of Kentucky

²Department of Radiology, University of Kentucky

Correspondence to: Vedant A. Gupta at vedant.gupta@uky.edu

URL: <https://www.jove.com/video/57918>

DOI: [doi:10.3791/57918](https://doi.org/10.3791/57918)

Materials

Name	Company	Catalog Number	Comments
Microsoft Windows Server 2012 R2 Standard	PowerEdge R730	8F8KFB2	Server specifications for post-processing software: Intel(R) Xeon(R) CPU E5-2609 v3 @ 1.90GHz Intel(R) Xeon®CPU E5-2609 v3 @ 1.90GHz
Intuition	Terarecon	4.4.12.xxx	Post-processing software
McKesson Radiology Viewing Station	McKesson	Station Lite Version 1.0.0.182	IP version 8.0.31.0
Computer Desktop and Monitor: Optiplex 9030 AIO	Dell	Optiplex 9030 AIO	Processor: Intel Core i5-4590S CPU @ 3.00 GHz, 3001Mhz, 4 Cores, 4 Logical Processors